2. Hardware Periphery Compatibility

2.1. Apple(R) iPod Series Deivce

[✓]: Win7 Ready

Type		Model	O.S. Environment
USB 2.0	*iPod*	*iPod touch 8G*	✓
		iPod Classic 160G	✓
	iPhone	*iPhone 3GS 16G*	✓ *Suggest to use this device with USB port that is provided by PCH.
		iPhone 4 16G	✓ *Suggest to use this device with USB port that is provided by PCH.
	iPad	*iPad Wifi 16G*	✓

2.2. Hard Drives

[✓]: Win7 Ready

Type		Model	O.S. Environment
SATA150	*WD*	*WD WD1500ADFD*	✓
SATA300	*Hitachi*	*Hitachi HDP725050GLA360*	✓
		Hitachi HDP725050GLA380	✓
		Hitachi HDS721010KLA330	✓
		Hitachi HDT721010SLA360	✓
		Hitachi HDS721010CLA332	✓
	Samsung	*Samsung HD HD501LJ*	✓
		Samsung HD321KJ	✓
		Samsung HD161HJ	✓
		Samsung HD501LJ	✓
		Samsung HD753LJ	✓
		Samsung HD502IJ	✓
		Samsung HD103UJ	✓
		Samsung HD103SJ	✓
	Seagate	*Seagate ST3250310AS*	✓
		Seagate ST3750640AS	✓
		Seagate ST3750330AS	✓
		Seagate ST31500341AS	✓
		Seagate ST31000528AS	✓
		Seagate ST3250310AS	✓
	Seagate	*Seagate ST3500320NS*	✓
		Seagate ST3500418AS	✓
		Seagate ST3500620SS	✓
		Seagate ST31000340NS	✓

ASUSTeK Confidential

Type		Model	O.S. Environment
SATA300	*Seagate*	*Seagate ST3160813AS*	✓
		Seagate ST31000333AS	✓
		Seagate ST33000651AS	✓
	WD	*WD WD800JD*	✓
		WD WD1600AAJS	✓
		WD WD2500JS	✓
		WD WD3200AAKS	✓
		WD WD5000ABYS	✓
		WD WD5000AAKS	✓
		WD WD10EVVS	✓
		WD WD10EACS	✓
		WD WD20EADS	✓
		WD WD3000GLFS	✓
		WD WD6400AAKS	✓
		WD WD6401AALS	✓
		WD WD10EADS	✓
		WD WD22EADS	✓
		WD WD10EARS	✓
SATA 6G	*Seagate*	*Seagate ST32000641AS*	✓
	WD	*WD WD6402AAEX*	✓
		WD WD1002FAEX	✓
	OCZ	*OCZ C300*	✓
SSD	*Adata*	*Adata SSD-064*	✓
	G.skill	*G.Skill FM-25S2S-064*	✓
	Kingfast	*Kingfast KF2501-128S-128*	✓
	Mtron	*Mtron MSD-SATA3525-032*	✓
		Mtron MSD-SATA3525-016	✓
	OCZ	*OCZ Core-Series-V2-120*	✓
		OCZ Core-Series-V2-030	✓
		OCZ Core-Series-V2-060	✓
		OCZ 1VTX30G	✓
	Patriot	*Patriot PE32GS25SSD-032*	✓
	Transcend	*Transcend TS32GSSD25S-M-032*	✓

2.3. Video Cards

[✓]: Win7 Ready

Type		Model	O.S. Environment
ATi Chipset	*ASUS*	*ASUS EAH3450/HTP/512M/A (BIOS:V95C5.10.79.0.1.AS09)*	✓
		ASUS EAH4350 SILENT/DI/512MD2 (BIOS:V954F.11.12.0.2.AS02)	✓
		ASUS EAH4870/2DI/1GD5 (BIOS:V9440.11.17.0.18.AS01)	✓
		ASUS EAH4890/HTDI/1GD5/A (BIOS:V9460.11.22.1.0.AS01 V9460.11.22.2.1.AS02)	✓

ASUSTeK Confidential

Type		Model	O.S. Environment
ATi Chipset	***ASUS***	***ASUS EAH5450 SILENT/DI/1GD3 (BIOS: 68F9.12.16.0.2.AS01)***	✓
		ASUS-EAH5550/DI/1GD3(C021P/LP) (BIOS: 68DA.12.17.0.4.AS01)	✓
		ASUS EAH5570 SILENT/DI/1GD2/A (BIOS:V68D9.12.19.0.3.AS01)	✓
		ASUS EAH5670/DI/1GD5/A (BIOS:68D8.12.17.0.4.AS01)	✓
		ASUS EAH5750 FML/DI/512MD5/A (BIOS:68BE.12.14.0.4.AS04)	✓
		ASUS-EAH5770 CUCORE/2DI/1GD5/A (BIOS:V68B8.12.15.0.0.AS02)	✓
		EAH5830 DIRECTCU/2DIS/1GD5 (BIOS:V689E.12.20.0.1.AS01)	✓
		ASUS EAH5850/2DIS/1GD5/A (BIOS:V6899.12.11.0.6.AS01	✓
		ASUS EAH5870/2DIS/1GD5/A (BIOS:V6898.12.11.0.6.AS01)	✓
		ASUS EAH5970/2DS/2GD5/A (BIOS:689C.12.13.0.2.AS03)	✓
		ASUS EAH6870/2DI2S/1GD5 (BIOS: V6738.13.6.0.6.AS01)	✓
		ASUS EAH6950/2DI2S/2GD5 (BIOS:V6719.13.8.0.9.AS01)	✓
		ASUS EAH6970/2DI2S/2GD5 (BIOS:V6718.13.8.0.9.AS01)	✓
	DATALAND	***DATALAND-HD5770/1GB/128 (BIOS:V012.019.000.003.000000)***	✓
	HIS	***HIS HD4670/512MB/DDR3 ICEQ TURBO (BIOS:V011.013.000)***	✓
		HIS HD4830/512MB/DDR3 (BIOS:V011.015.000)	✓
	MAXSUN	***MAXSUN MS-HD5670 512M (BIOS:V012.020.000.013.036884)***	✓
	Palit	***Palit Radeon HD4850/512M/DDR3 (BIOS:V011.008.000)***	✓
	MAXSUN	***MAXSUN MS-HD5670 512M (BIOS:V012.020.000.013.036884)***	✓
	Powercolor	***Powercolor HD 5750/1GB/DDR5 (BIOS:012.013.000.000.034633)***	✓
	Sapphire	***Sapphire HD4850X2/2G/DDR3 (BIOS:V011.011.000)***	✓
		Sapphire HD5450/512M (BIOS: 113-BAE15300-001)	✓
	Unika	***Unika HD5550 V512+ (BIOS:012.018.000.001.035840)***	✓
nVidia Chipset	***ASUS***	***ASUS EN8400GS SILENT/HTP/512M***	✓
		ASUS EN9500GT /DI/1G/A(C729P) (BIOS: V62.94. 4B.00.AS18)	✓
		ASUS EN210/DI/512MD2/A (BIOS: 70.18.2D.00.AS01)	✓
		ASUS ENGT220/DI/1GD3/LP (C684P) (BIOS:V70.16.2E.00.AS01)	✓
		ASUS ENGT240/DI/1GD3/A (BIOS:V70.15.23.00.AS01)	✓
		ASUS-ENGT430/DI/1GD3 LP R1.01 (BIOS:70.08.29.00.AS05)	✓
		ASUS-ENGTS250 DK/DI/1GD3/A(C393GP)R1.02 (BIOS:V62.92.7D.00.AS18) (BIOS:V62.92.7D.00.AS13)	✓
		ASUS ENGTS450 DIRECTCU/DI/1GD5 (BIOS:V70.06.0F.00.AS01)	✓
		ASUS ENGTX460/2DI/768MD5 (BIOS: V70.04.0B.00.AS01)	✓
		ASUS ENGTX460 DIRECTCU TOP/2DI/1G (BIOS: 70.04.13.00.AS02)	✓
		ASUS ENGTX465/2DI/1GD5/P1025 (BIOS:70.00.39.00.AS05)	✓
		ASUS ENGTX470/2DI/1280MD5 (Bios: V70.00.39.00.AS01)	✓

ASUSTeK Confidential

Type		Model	O.S. Environment
nVidia Chipset	*ASUS*	*ASUS ENGTX480/2DI/15360MD5 (Bios:V70.00.21.00.AS02*	✓
		ENGTX570/2DI/1280MD5 (BIOS:V70.10.17.00.AS02)	✓
		ASUS ENGTX580/2DI/1536MD5 (BIOS:V70.10.17.00.AS01)	✓
	BFG	*BFG GeForce9600GTD512M (BIOS: V62.94.11.00.14)*	✓
	EVGA	*EVGA GeForce9400GT 512M (BIOS: V62.94.29.00.40)*	✓
	Galaxy	*Galaxy-GT240-X5/V20/1GB (BIOS:V70.15.48.00.00)*	✓
	Gainward	*Gainward 9800GT/512M (BIOS:V62.92.6D.00.0G)*	✓
	Gigabyte	*Gigabyte GV-26OC-896H (BIOS: V62.00.4C.00.01)*	✓
	PNY	*PNY GeForce9600GT 512M (BIOS: V62.94.21.00.51)*	✓
	Unika	*Unika 速配 2 GT220 V512+ (BIOS:70.16.2E.00.07)*	✓
	XFX	*XFX GeForce 8600GTS (BIOS:V60.84.18.00.83)*	✓
		XFX GeForce9500GT 512M (BIOS: V62.94.4B.00.71)	✓
		XFX GeForce GTS250 512MB (BIOS:V62.92.79.00.07)	✓
	ZOTAC	*ZOTAC-GEFORCE210-TC512D2 (BIOS:70.18.39.00.B4)*	✓
Other Chipset	*Matrox*	*Matrox Millennium P690 Plus LP/256MB (BIOS:V1.4 b05) (BIOS:V1.8 - 16)*	✓
		Matrox G550 (BIOS:V1.5.015)	✓

2.4. Peripheral

[✓] : Win7 Ready

2.4.1. Audio

2.4.1.1 Audio Decoder

Type		Model	O.S. Environment
SPDIF	*Logitech*	*Z-5400 DIGITAL*	✓
	Logitech	*Z5500 Digital*	✓
	DENON	*AVR-3311*	✓

2.4.1.2 Earphone Devices

Type		Model	O.S. Environment
Earphone	*AKG*	*K701*	✓
	Philips	*SHM7410*	✓
	Beyerdynamic	*DT 880*	✓
	Sennhieser	*MX160*	✓
Ear-Mic	*Somic*	*EP-10*	✓

2.4.1.3 Microphone Devices

Type		Model	O.S. Environment
Dynamic	*Audio-technica*	*AT-VD5*	✓
	Somic	*DANYIN-DM-021*	✓
	Salar	*M6*	✓

ASUSTeK Confidential

2.4.1.4 Sound Adapters

Type		Model	O.S. Environment
PCI	*Terrate*	*Aureon Explorer 7.1*	✓
PCIEX1	*ASUS*	*XONAR HDAV1.3 DELUXE*	✓
	Creative	*X-Fi Ttreme*	✓
USB 2.0	*ASUS*	*Audio Xonar U1*	✓

2.4.1.5 Speaker

Type		Model	O.S. Environment
Line out	*Creative*	*Gigaworks T20*	✓
		T7900	✓
		InspireT7700	✓
	Edifier	*DA5000*	✓
	Logitech	*Z-5500*	✓
		Z-5400	✓
USB 1.1	*Edifier*	*R10U*	✓
	Logitech	*V10*	✓
		S-150 USB	✓
	Microlab	*MD-521*	✓

2.4.2 Controller Cards

2.4.2.1. 1394

Type		Model	O.S. Environment
PCI	*PHIYO*	*1394A+B COMBO*	✓
PCIEX1	*Uzlab*	*PCIE/1394A*	✓

2.4.2.2. SATA

Type		Model	O.S. Environment
PCIEX1	*HighPoint*	*Rocket620A*	✓

2.4.2.3. SATA RAID

Type		Model	O.S. Environment
PCIEX1	*Adaptec*	*AAR-1220SA (BIOS: V6.0-0 Build 2330)*	✓
	HighPoint	*RocketRAID620 (BIOS: V1.0)*	✓

2.4.3. Ethernet

2.4.3.1. 100 BaseTx Networking Cards

Type		Model	O.S. Environment
PCI	*TP-Link*	*TP-Link-TF-3239DL*	✓
	Tenda	*Tenda L8139D*	✓
	Intel	*Intel Pro/100s*	✓
USB 2.0	*Z-Tek*	*Z-Tek ZK-R07*	✓

ASUSTeK Confidential

2.4.3.2. 1000 BaseTx Networking Cards

Type		Model	O.S. Environment
PCI	*Intel*	*Intel Pro/1000GT*	✓
	ASUS	*ASUS NX1101*	✓
	TP-Link	*TP-Link-TG-3269C*	✓
PCIEX1	*Intel*	*1000PT*	✓
	EVGA Kille	*EVGA Killer XENO Pro*	✓
	Netcore	*Netcore 7010Net*	✓
	Syskonnect	*Syskonnect SK-9E21D*	✓

2.4.3.3. Networking Hubs/Switchs/Routers

Type		Model	O.S. Environment
Switch	*ASUS*	*GIGAX1105*	✓
		GIGAX1108N	✓
		GIGAX1124X	✓
		GIGAX2124X	✓
		GX-D1241	✓
	D-Link	*DES-1008D*	✓
		DGS-1008D	✓
		DGS-1008T	✓
		DES-1016D	✓
	H3C	*S5024P*	✓
	Linksys	*SD2008*	✓
		SD208	✓
	Netgear	*GS608*	✓
		FS608	✓
	Netcore	*NSW1324M*	✓
Router	*ASUS*	*RX3042HC*	✓
	D-Link	*DI-604+*	✓
	H3C	*ER5002*	✓
	Linksys	*RV042*	✓
	Netgear	*RP614*	✓

2.4.3.4. Wireless Networking

Type		Model	O.S. Environment
PCI	*D-Link*	*DWA-547*	✓
USB2.0	*D-Link*	*DWA-131*	✓
	NETGEAR	*WN111*	✓
	ASUS	*USB-N13*	✓
	D-LINK	*DWA-160*	✓
	Linksys	*WUSB54G-N*	✓

ASUSTeK Confidential

2.4.3.5. Wireless LAN Access Point

Type		Model	O.S. Environment
AP	*ASUS*	*RT N15*	✓
	Buffalo	*WZR2-G300N*	✓
	D-Link	*DIR-635*	✓
	Linksys	*WRT160N*	✓
	Netgear	*WNDR3300*	✓

2.4.4. Fans and Heatsinks

Type		Model	O.S. Environment
Intel 1155	*COGAGE*	*True Spirit*	✓
	CoolerMaster	*N620*	✓
		V8	✓
		V10	✓
	Deepcool	*冰凌 400 黑玉至尊版*	✓
	Intel	*Black Edition Product Fan (E88216 0.45A Sample)*	✓
		Product Fan (E41747) 0.2A	✓
		Product Fan (E41759) 0.2A	✓
		Product Fan (E41997) 0.17A	✓
		Product Fan (E41759) 0.6A	✓
		XTS100H	✓
	PCcooler	*刀仔熱管版 HP-829*	✓
		Q版火鳥 SPA-801	✓
		紅海 MINI HP-825	✓
		紅海 至尊版 HP-9310E	✓
	SilverStone	*NT01 Evolution*	✓
		NT06-E Evolution	✓
	Thermalright	*Ultra 120 Extreme*	✓
		AXP-140	✓
	Thermaltake	*Contac 29*	✓
		ISGC-400	✓
		SpinQ	✓
		V1	✓
	ZALMAN	*CNPS10X Extreme*	✓
		CNPS9900 LED	✓

2.4.5. Keyboards/Mice

2.4.5.1. Keyboards

Type		Model	O.S. Environment
Bluetooth	*Logitech*	*Y-RCP140*	✓
		MX5500 Revolution	✓
	Microsoft	*Wireless Entertainment Desktop 6000*	✓
PS/2	*Win2*	*X7 G800*	✓

ASUSTeK Confidential

Type		Model	O.S. Environment
USB 1.1 / USB 2.0	*Apple*	*MB110LL/A*	✓
	Cherry	*G80*	✓
	Dell	*SK-8135*	✓
	Microsoft	*Natural Ergonomic Keyboard4000*	✓
		Reclusa	✓
	Majestouch	*Filco Fkbn104ML/EB*	✓
	LG	*ST510U*	✓
	Logitech	*G19*	✓
	Razer	*Lycosa*	✓
		Tarantula-VZ03	✓
		Arctosa-RZ03-0026	✓

2.4.5.2. Keyboard + Mice Combos

Type		Model	O.S. Environment
Bluetooth	*Logitech*	*Desktop Wave*	✓
	Microsoft	*Wireless Desktop 3000*	✓
		Wireless Entertainment Desktop 8000	✓
	WIN2	*G7600*	✓
PS/2	*Logitech*	*SU61*	✓
		G1	✓
		MK100	✓
	RAPOO	*N3900*	✓
USB1.1/USB2.0	*Microsoft*	*Wireless Optical Desktop Elite*	✓ *Suggest to use this device with USB port that is provided by PCH.
	Logitech	*Cordless Desktop S510*	✓
		Y-RCP140	✓
		Cordless Desktop MX3200 Laser	✓
	T.C.STAR	*KIT9901*	✓
	Razer	*Abussus Essential Gaming Bundle*	✓
	MSI	*Wireless Combo 630*	✓

2.4.5.3. Mice

Type		Model	O.S. Environment
Bluetooth	*ASUS*	*MS7124-WHT/RF2.4*	✓
	Logitech	*MX-R*	✓
PS/2	*Win2*	*OP-220*	✓
	Logitech	*Wheel Mouse*	✓
	Huaerte	*H33-Optical mouse*	✓
Serial	*Win2*	*OK-720*	✓

ASUSTeK Confidential

Type		Model	O.S. Environment
USB 1.1/ USB 2.0	*Apple*	*M5769*	✓
	Lenovo	*LS-1000*	✓
	Logitech	*Gaming Mouse G500*	✓
		G5	✓
	Icon7	*Z500 Gaming laser mouse MZ01*	✓
	Microsoft	*Explorer 4.0*	✓
		Sidewinder X3	✓
	Philips	*SPM1700*	✓
	Elecom	*Scope Node400*	✓
	Steelseries	*XAI Laser*	✓
	Razer	*Lachesis*	✓
		NAGA-RZ01-0028	✓
		Abussus Essential	✓ *Suggest to use this device with USB port that is provided by PCH.

2.4.6. Optical Drives

Type		Model	O.S. Environment
SATA	*ASUS*	*ASUS BC-1205PT*	✓
		ASUS DRW-24B1ST	✓
		ASUS DRW-24B3ST	✓
		ASUS BR-04B2T	✓
		ASUS DVD-E818A6T	✓
		ASUS DVD-E818A7T	✓
		ASUS DRW-24B1LT	✓
		ASUS BC-08B1LT	✓
	BenQ	*BenQ DW240S*	✓
	LG	*LG GH22NS30*	✓
		LG GH22NS40	✓
		LG GH22NS50	✓
		LG GGW-H20L	✓
	Lite-On	*Lite-On IHAS322*	✓
		Lite-On DH-20A3S	✓
		Lite-On IHOS104	✓
		Lite-On IHAS524	✓
		Lite-On IHAS324	✓
		Lite-On IHAS120	✓
	MSI	*MSI DH-24AS*	✓
	Pioneer	*Pioneer-BDR-S05XLB*	✓
		Pioneer DVR-216BK	✓
		Pioneer DVR-219CHV	✓
	Plextor	*Plextor PX-880SA*	✓
	Samsung	*Samsung SH-S223C*	✓

ASUSTeK Confidential

Type	Model		O.S. Environment
SATA	*Samsung*	*Samsung SH-S223*	✓
	Sony	*Sony AD-7241S*	✓
		Sony BWU-300S	✓
USB2.0	*APACHI*	*APACHI BLACK PEARL*	✓
	ASUS	*ASUS SBC-04D1S-U*	✓
		ASUS SDRW-08D1S-U	✓
		ASUS SDRW-08D2S-U	✓
		ASUS-SBC-06D1S-U	✓
	LG	*LG GE20LU10*	✓
		LG GSA-E50L	✓
	Lite-On	*Lite-On eSAU108*	✓
	MSI	*MSI UO800*	✓
	Pioneer	*Pioneer DVR-X162*	✓
USB3.0	*Buffalo*	*BUFFALO BR-X1216U3*	✓

2.4.7 Power Supplies

	Model	O.S. Environment
ASUS	*P-50GA*	✓
	ASUS P-55GA	✓
	ASUS U-65GA	✓
	ASUS U-75HA	✓
Antec	*EA500*	✓
	EA-380	✓
Be quiet	*BQT E6-450W*	✓
	BQT L6-UA-350W	✓
Bubalus	*PE600WJD*	✓
CoolerMaster	*RS-B00-AAAA-A3*	✓
	RS-C50-EMBA-D2	✓
	RS-850-EMBA	✓
	RS-430-ASAA	✓
	RS-460-ASAA-D3	✓
Corsair	*CMPSU-550VX*	✓
	CMPSU-650HX	✓
	CMPSU-750TX	✓
Century Star	*Diamond500+*	✓
	ST-ATX340	✓
COMMANDER	*IRP-COM750*	✓
Delux	*DLP-650PG*	✓
EnerMAX	*EGA1000EWL*	✓
FSP	*ATX-300PNR*	✓
GoldenField	*860ELA*	✓
GreatWall	*BTX-600SE*	✓
	BTX-400SD	✓

Confidential

Model		O.S. Environment
Huntkey	*多核R85*	✓
	Multicore F1	✓
	HugeRock500	✓
	冷靜王鉆石版Win7	✓
	HK1000-11PEP-X7 900	✓
Segotep	*SG-850EPS*	✓
OCZ	*OCZ700MXSP*	✓
	Sliencer 750W	✓
SAMA	*YUHUI 350P*	✓
Seasonic	*SS-850EM*	✓
	SS-550HT	✓
Seventeam	*ST-400EAF-05F*	✓
	ST-522HLP	✓
	ST550EAJ-05F	✓
	ST-750P-AF	✓
Sharkoon	*SHA-R600M*	✓
Silverstone	*SST-ST40F-ES*	✓
Tagan	*TG1100-U33*	✓
Thermaltake	*Toughpower Power Express 650W*	✓
	AH680A	✓
	Toughpower 1200W	✓
	Toughpower 1500W	✓
TOPower	*TOP-500P5*	✓

2.4.8. Printers/Scanners

2.4.8.1. Printer

Type		Model	O.S. Environment
USB 2.0	*Canon*	*MX308*	✓
		Pixma IP4500	✓
	Epson	*Office 360*	✓
	HP	*ColorLaserjet 1600*	✓
		Photosmart D5168	✓

2.4.8.2. Scanner

Type		Model	O.S. Environment
USB 2.0	*Canon*	*Canoscan 8800F*	✓
	Epson	*Office 360*	✓
		Perfection V30	✓
	HP	*ScanJet-G3110*	✓
	Microtek	*Scanmaker-S460*	✓

ASUSTeK

2.4.9. TV Cards

Type		Model	O.S. Environment
PCI	Aver	Super 009	✓
	Compro	Vista H900F	✓
PCIEX1	Aver	Media H727	✓
	Compro	E800F	✓
		E900F	✓
USB 2.0	10Moons	UT822	✓
	Aver	A833	✓ *Suggest to use this device with USB port that is provided by PCH.
	Aver	A855i	✓
	MyGica	UT550	✓ *Suggest to use this device with USB port that is provided by PCH.

2.4.10 USB Storage

2.4.10.1 Card Readers

Type		Model	O.S. Environment
USB 2.0	SSK	SCRM010	✓
	ATP	ProMax	✓
	Transcend	Multi Card Reader TS-RDM3	✓

2.4.10.2 External Enclosures

Type		Model	O.S. Environment
USB 2.0	ASUS	VENTO-PORTABLE	✓
	BenQ	DP303	✓
	Buffalo	HD CE640U2	✓
	EPS	S500-1	✓
	HITACHI	X320-320G	✓
	Maxtor	Stm315005ehm301-Rk	✓
	Netac	K200-500G	✓
	Samsung	G2 HX-MU050DC/GL2	✓
	STARDOM	SR3610-2S-SB2	✓
	Seagate	ST903203FGG201-RK	✓
		ST905004EXM101-RK	✓ *Suggest to use this device with USB port that is provided by PCH.
		Free Agent XTreme (1TB)	✓
	TOSHIBA	SK250Q3-320G	✓
	WD	WD5000H1CS	✓
		My Book Studio Edition(1TB)	✓
		My Book Studio Edition II	✓
	Newsmy	YIJIAN USB2.0/E-320G	✓
	Zynet	D4-U2	✓
USB3.0	AGESTAR	3UB3A8	✓ *Suggest to use this device with USB port that is provided by PCH.
		3UBT-USB3	✓
	Buffalo	BUF-HD-HXU3	✓
		BUF-HD-H1.5XU3	✓

ASUSTeK Confidential

Type		Model	O.S. Environment
USB3.0	*CENBY*	*Q7 HD1-SU3*	✓
	CENDA	*C601U-5G*	✓
	CENTURY	*CROSU3-USB3.0*	✓
	Cyberslim	*CASE USB3.0-SI-U3*	*Suggest to use this device with USB port that is provided by PCH.
		S1-U3H-USB3.0-HUB	✓
		S1-U3S-ESATA-USB3.0	✓
	DATA-TEC	*U350SR-U3-USB3.0*	✓
	DOTOP	*USB3.0-HARD DRIVE-160GB*	✓
	EGO	*IOMEGA-USB3-500G*	✓
		IOMEGA-USB3-2T	✓
	FREECOM	*HARD DRIVE XS 3.0 1TB-SSYABA*	✓
	Kamazo	*SATA2.5-BK-USB3.0*	✓
	OCZ	*SSDU3-1ENY64G*	✓
	RATOC	*RS-EC3-U3BK*	✓
	PQI	*HD566 320G*	✓
	SHARKOOM	*SATA QUICKPORT USB3.0*	✓
	Silicon power	*10060946-640GA80-SS*	✓
	TRANSCEND	*TS500GSJ25D3*	✓
		TS640GSJ25D3-USB3	✓
	UNITEK	*USB3.0 HDD ENCLOSURE Y-3251*	✓
		USB3.0 HDD DOCKING Y-1072	✓

2.4.10.3 Floppy Drives

Type		Model	O.S. Environment
USB 1.1	*Mitsumi*	*D353FUE*	✓
	Sony	*MPF82E-U1*	✓

2.4.10.4 USB Flash Devices

Type		Model	O.S. Environment
USB 2.0	*Adata*	*C903*	✓
	AIGO	*L8202*	✓
	Apacer	*AH302*	✓
		HE320	✓
	Corsair	*Flash Voyager*	✓
	IMate	*Combo driver*	✓
	KingMax	*Super Stick mini*	✓
		U208G	✓
		U204G	✓
	Kingston	*DT G2*	✓
		DT150	✓
		DT100	✓
		DT120	✓
		DTI	✓
	KingSpec	*KSD-eSA.1-008MJ*	✓
	Netac	*U235*	✓
	PNY	*Lovely Attache*	✓
	PQI	*U273*	✓

ASUSTeK Confidential

Type		Model	O.S. Environment
USB 2.0	*Sandisk*	*Cruzer Micro CZ6*	✓
		BL0808NG	✓
	Teclast	*CF32G*	✓
	Toshiba	*K2FMG*	✓
	Transcend	*JetFlash V60*	✓
USB 3.0	*ADATA*	*NOBILITY N005*	✓
	SUPER TALENT	*ST3U16EDK*	✓
	MACH XTREME	*MX-FX*	✓

2.4.10.5 USB Hubs

Type		Model	O.S. Environment
USB 2.0	*Apacer*	*PH151*	✓
	Belkin	*F5U237*	✓
	D-Link	*Dub-H4*	✓
	Z-tek	*ZE341*	✓
	Dell	*2408WFP(Monitor)*	✓
USB 3.0	*UNITEK*	*Y3041(VIA Chip Firmware:0373)*	✓ *Suggest to use this device with USB port that is provided by PCH.
	BUFFALO	*BSH4A03U3BK (VIA Chip Firmware:0373)*	✓ *Suggest to use this device with USB port that is provided by PCH.
	愛斯基摩	*HUB301WT(VIA Chip Firmware:0373)*	✓ *Suggest to use this device with USB port that is provided by PCH.

2.4.11. Others Input Device:

2.4.11.1 Bluetooth Adapter

Type		Model	O.S. Environment
USB 1.1	*CCK*	*D92*	✓
	LINKSYS	*USBBT100*	✓
USB 2.0	*MSI*	*STARKEY 2.0*	✓
	BILLIONTON	*GUBTCR421-BI-GL*	✓
	AIBO-MINI	*V2.0-DCAD02*	✓

2.4.11.2 Digital Camcorders

Type		Model	O.S. Environment
USB 2.0	*Sony*	*HDR-SR7E*	✓

2.4.11.3 Digital Cameras

Type		Model	O.S. Environment
USB 2.0	*Canon*	*IXUS 850IS*	✓
	Kodak	*P850*	✓
	Nikon	*D40X*	✓
	Panasonic	*DMC-FZ20*	✓
	Sony	*Cybershot DSC-T9*	✓

ASUSTeK Confidential

2.4.11.4 Tablets

Type		Model	O.S. Environment
USB 2.0	Wewa	CHUNQIU DYNASTY-V9.1	✓
	Hanwang	MSL0504	✓
	PenPower	Touch Pad PD8UE	✓
	Wacom	Bamboo-CTH-460/K0-C	✓

2.4.11.5 PC Game Controller

Type		Model	O.S. Environment
USB 1.1	Betop	Hawk BTP-C036	✓
	Logitech	Extreme 3D PRO	✓
	Logitech	G25 Racing wheel	✓
	Saitek	Aviator AV8R-01	✓
USB 2.0	Microsoft	XBOX 360 Controller	✓
	NAZAR	GPC V48-0026	✓

2.4.11.6 Web Cams

Type		Model	O.S. Environment
USB 2.0	Logitech	C500	✓
		C200	✓
	Microsoft	LifeCam Cinema	✓
	Topspeed	Huihuang05	✓
		T68	✓
	10Moons	T24	✓
	DaHeAiSha	Classics 100	✓ *Suggest to use this device with USB port that is provided by PCH.
	Teclast	TL-W900-NDS2W	✓

2.4.12 UPS device

2.4.12.1 UPS

Type		Model	O.S. Environment
Serial	APC	APC Smart-UPS 1000VA	✓

Note:

A. New devices and products are launched rapidly.
To ensure the optimum product compatibility, ASUS adopts compound combinations and mixed tests to examine multiple operating systems and devices.

B. ASUS sincerely invite equipment manufacturers to create a win-win cooperation on increasing product compatibility. Please contact us via local service centers or the e-mail provided below: David Hung@asus.com

ASUSTeK Confidential